

Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard,
29 CFR 1910.1200. This Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health
Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

<p>IDENTITY <i>(As Used on Label and List)</i> Mighty Core</p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
--	--

Section I

<p>Manufacturer's Name Elmer's Products</p>	<p>Emergency Telephone Number (704) 872-9511</p>
<p>Address <i>(Number, Street, City, State, and ZIP Code)</i> 2020 West Front Street</p>	<p>Telephone Number for Information (704) 872-9511</p>
<p>Statesville, NC 28677</p>	<p>Date Prepared 6/14/2007</p>
	<p>Signature of Preparer <i>(optional)</i></p>

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
Isopentane 78-78-4	NE	NE		
Polystyrene 9003-53-6	NA	NA		
Talc 14807-96-6	NE	NE		

--	--	--	--	--

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	1
Vapor Pressure (mm Hg.)	N/A	Melting Point (Softening Point)	106 degrees C.
Vapor Density (AIR = 1)	N/A	Evaporation Rate	N/A
Solubility in Water Not Soluble			
Appearance and Odor Physical State: Solid Odor: none			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits	LEL N/A	UEL N/A
Extinguishing Media Water Spray			
Special Fire Fighting Procedures Treat as combustible solid fire. Fire Fighters should use self-contained breathing apparatus.			
Unusual Fire and Explosion Hazards Polystyrene emits styrene, carbon monoxide, and other hydrocarbons when burning.			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (<i>Materials to Avoid</i>) None			
Hazardous Decomposition or Byproducts None			

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? N/A	Skin? N/A	Ingestion? X
Health Hazards (<i>Acute and Chronic</i>) May be an obstruction if swallowed			
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure - None			
Medical Conditions Generally Aggravated by Exposure - None			
Emergency and First Aid Procedures - None			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled None
Waste Disposal Method – Disposal should be done in accordance with all local, state, and federal laws and regulations.

Precautions to Be taken in Handling and Storing – Prolonged exposure to the sun or UV light may affect color.
Other Precautions – Take precautions for static electricity generated during mechanical / pneumatic transfer of product.

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) N/A		
Ventilation	Local Exhaust	Special
	Mechanical (<i>General</i>)	Other

Protective Gloves – Not required	Eye Protection – Not required
Other Protective Clothing or Equipment – Not required	
Work/Hygienic Practices – Normal good working practices should be adopted.	

Section IX - Special Precautions

Precautions to be taken in Handling and Storing
Other Precautions

Each MSDS must be reviewed for correctness and completeness every three years.

Reviewed by: Chris Domanski

Reviewed by: Gibson M Jenkins Jr.

Revision date: July 5, 2007

Revision date: July 5, 2007

While the information and recommendations set forth herein are believed to be accurate as of the date hereof, we make no warranty with respect thereto and disclaims all liability from reliance thereon.